



## Patent

Docket Number: ART-00105P.1.1-US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**In re application of:**

Cheng et al.

Application No.: 09/973,629

Filed: October 9, 2001

For: AN INTEGRATED BIOCHIP  
SYSTEM FOR SAMPLE PREPARATION  
AND ANALYSIS

Examiner: LAM, Ann Y

Art Unit: 1641

RECEIVED

MAR 10 2004

Commissioner for Patents  
United States Patent and Trademark Office  
Alexandria, VA 22313-1450

## INFORMATION DISCLOSURE STATEMENT

Sir:

As requested by the Examiner, Applicant respectfully submits herewith a replacement copy of the references listed as "Other" on Applicants' information disclosure statement submitted on September 4, 2003. Because this replacement copy is at the request of the Examiner and is not the fault of the Applicants, no fee is deemed necessary. For the Examiner's convenience, Applicants also submit herewith a listing of the provided references on the enclosed Form 1449

**Information Disclosure Statement**  
**ART-00105.P.1.1-US**  
**Cheng et al.**

Please apply any charges not covered, or any credits, to **Deposit Account 501321** in the name of David R. Preston & Associates having **Customer Number 24232**.

Date: Feb 27, 2004

David R. Preston & Associates  
12625 High Bluff Drive  
Suite 205  
San Diego, CA 92130  
phone: 858.450.1388  
facsimile: 858.450.2188

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'David R. Preston', written over a horizontal line.

David R. Preston  
Reg. No. 38,710



RECEIVED

<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b> (Use several sheets if necessary)	Docket Number: ART-00105.P.1.1-US	Application Number: 09/973,629
	Applicant: Cheng et al.	
	Filing Date: October 9, 2001	Group Art Unit: 1641

U.S. PATENT DOCUMENTS							
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE IF APPROPRIATE
	P1						

FOREIGN PATENT DOCUMENTS								
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	Translation	
							YES	NO
	F1							

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)		
EXAMINER INITIALS		CITATION
	D1	Ahn <i>et al.</i> , A New Toroidal-Meander Type Integrated Inductor With a Multilevel Meander Magnetic Core, <i>IEEE Trans. Magnetics</i> 30:73-79 (1994).
	D2	Ahn <i>et al.</i> , A Fully Integrated Micromachined Magnetic Particle Separator, <i>J. Microelectromechanical Systems</i> 5:151-158 (1996).
	D3	Batra <i>et al.</i> , Insertion of Constant Region Domains of Human IgG <sub>1</sub> into CD4-PE40 Increases its Plasma Half-life, <i>Mol. Immunology</i> 30:379-386 (1993).
	D4	Becker <i>et al.</i> , The removal of human leukaemia cells from blood using interdigitated microelectrodes, <i>J. Phys. D: Appl. Phys.</i> 27:2659-2662 (1994).

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--




RECEIVED

MAR 10 2004

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)		
EXAMINER INITIALS		CITATION
	D5	Becker <i>et al.</i> , Separation of human breast cancer cells from blood by deferential dielectric affinity, <i>Proc. Natl. Acad. Sci. USA</i> 92:860-864 (1995).
	D6	Burt <i>et al.</i> , An optical dielectrophoresis spectrometer for low-frequency measurements on colloidal suspensions, <i>J. Phys. E: Sci. Instrum.</i> , 22:952-957 (1989).
	D7	Cheng <i>et al.</i> , Preparation and hybridization analysis of DNA/RNA from <i>E. coli</i> on microfabricated bioelectronic chips, <i>Nat. Biotech.</i> 16:541-546 (1998).
	D8	Cumber <i>et al.</i> , Structural Features of the Antibody-A Chain Linkage that Influence Activity and Stability of Ricin A Chain Immunotoxins, <i>Bioconjugate Chem.</i> 3:397-401 (1992).
	D9	De Gasperis <i>et al.</i> , Microfluidic Cell Separation by 2-dimensional Dielectrophoresis, <i>Biomedical Microdevices</i> 2:41-49 (1999).
	D10	Edman <i>et al.</i> , Electric field directed nucleic acid hybridization on microchips, <i>Nucleic Acids Res.</i> , 25:4907-4914 (1997).
	D11	Effenhauser, C.S. <i>et al.</i> , High-speed separation of antisense oligonucleotides on a micromachined capillary electrophoresis device, <i>Anal. Chem.</i> 66: 2949-2953 (1994).
	D12	Fiedler <i>et al.</i> , Dielectrophoretic Sorting of Particles and Cells in a Microsystem, <i>Anal. Chem.</i> 70:1909-1915 (1998).
	D13	Fiedler <i>et al.</i> , Electrocasting - formation and structuring of suspended microbodies using a.c. generated field cages, <i>Microsystem Technologies</i> 2:1-7 (1995).
	D14	Fuhr <i>et al.</i> , Levitation, holding, and rotation of cells within traps made by high-frequency fields, <i>Biochim. Biophys. Acta</i> 1108: 215-223 (1992).
	D15	Fuhr <i>et al.</i> , Particle micromanipulator consisting of two orthogonal channels with travelling-wave electrode structures, <i>Sensors and Actuators A</i> . 41-42: 230-239 (1994).
	D16	Fuhr <i>et al.</i> , Dielectrophoretic field cages: technique for cell, virus and macromolecule handling, <i>Cellular Engineering</i> 1: 47-57 (1995).
	D17	Fuhr <i>et al.</i> , Positioning and Manipulation of Cells and Microparticles Using Miniaturized Electric Field Traps and Travelling Waves, <i>Sensors and Materials</i> 7:131-146 (1995).

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--



RECEIVED

MAR 10 2004

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)		
EXAMINER INITIALS		CITATION
	D18	Gascoyne <i>et al.</i> , Dielectrophoretic Separation of Cancer Cells from Blood, <i>IEEE Transactions on Ind. Appl.</i> 33:670-678 (1997).
	D19	Green and Morgan, Dielectrophoretic Separation of nano-particles, <i>J. Phys. D: Appl. Phys.</i> 30:L41-L44 (1997).
	D20	Hagedorn <i>et al.</i> , Traveling-wave dielectrophoresis of microparticles, <i>Electrophoresis</i> 13:49-54 (1992).
	D21	Hagedorn <i>et al.</i> , Design of asynchronous dielectric micromotors, <i>J. Electrostatics</i> , 33:159-185 (1994).
	D22	Harrison, D.J. <i>et al.</i> , Micromachining a Miniaturized Capillary Electrophoresis-Based Chemical Analysis System on a Chip, <i>Science</i> , 261:895-897 (1993).
	D23	Hawkes <i>et al.</i> , A dielectrophoretic spectrometer for characterising micro-organisms and other particles, <i>Microbios.</i> 73:81-86 (1993).
	D24	Huang and Pethig, Electrode design for negative dielectrophoresis, <i>Meas. Sci. Technol.</i> , 2:1142-1146 (1991).
	D25	Huang <i>et al.</i> , Differences in the AC electrodynamics of viable and non-viable yeast cells determined through combined dielectrophoresis and electrorotation studies, <i>Phys. Med. Biol.</i> 37: 1499-1517 (1992).
	D26	Huang <i>et al.</i> , Electrokinetic behaviour of colloidal particles in travelling electric fields: studies using yeast cells, <i>J. Phys. D: Appl. Phys.</i> , 26: 1528-1535 (1993).
	D27	Huang <i>et al.</i> , Electrorotational studies of the cytoplasmic dielectric properties of Friend murine erythroleukaemia cells, <i>Phys. Med. Biol.</i> 40: 1789-1806 (1995).
	D28	Huang <i>et al.</i> , Membrane changes associated with the temperature-sensitive P85 <sup>ras-mos</sup> - dependent transformation of rat kidney cells as determined by dielectrophoresis and electrorotation, <i>Biochim. Biophys. Acta</i> 1282:76-84 (1996)
	D29	Huang <i>et al.</i> , Introducing Dielectrophoresis as a New Force Field for Field-Flow Fractionation, <i>Biophys. J.</i> 73:1118-1129 (1997).
	D30	Huang <i>et al.</i> , Membrane dielectric responses of human T-lymphocytes following mitogenic stimulation, <i>Biochim. Biophys. Acta</i> 1417:51-62 (1999).


Examiner Signature		Date Considered	
-----------------------	--	--------------------	--



RECEIVED

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			MAR 10 2004
EXAMINER INITIALS		CITATION	
	D31	Hughes <i>et al.</i> , Manipulation of herpes simplex virus type 1 by dielectrophoresis, <i>Biochim. Biophys. Acta</i> , 1425:119-126 (1998).	
	D32	Huston <i>et al.</i> , Protein engineering of antibody binding sites: Recovery of specific activity in an anti-digoxin single-chain Fv analogue produced in <i>Escherichia coli</i> , <i>Proc. Natl. Acad. Sci. USA</i> , 85:5879-5883 (1988).	
	D33	Kronick, P. L., Magnetic Microspheres in Cell Separation, <i>Methods of Cell Separation</i> , 3: 115-139 (1980).	
	D34	Ladurner <i>et al.</i> , Glutamine, Alanine or Glycine Repeats Inserted in the Loop of a Protein Have Minimal Effects on Stability and Folding Rates, <i>J. Mol. Biol.</i> 273:330-337 (1997).	
	D35	Liakopoulos <i>et al.</i> , A Bio-Magnetic Bead Separator On Glass Chips Using Semi-encapsulated Spiral Electromagnets, <i>Transducers</i> 97: 485-488 (1997).	
	D36	Lichtenberg <i>et al.</i> , Micro Total analysis Systems 2000, edited by A. Van Den Berg et al., 307-310.	
	D37	Markx <i>et al.</i> , Dielectrophoretic characterization and separation of micro-organisms, <i>Microbiology</i> 140:585-591 (1994).	
	D38	Morgan, <i>et al.</i> , Large-area travelling-wave dielectrophoresis particle separator, <i>J. Micromech. Microeng.</i> 7:65-70 (1997).	
	D39	Morgan <i>et al.</i> , Separation of Submicron Bioparticles by Dielectrophoresis, <i>Biophys. J.</i> 77:516-525 (1999).	
	D40	Muller <i>et al.</i> , A 3-D microelectrode system for handling and caging single cells and particles, <i>Biosensors and Bioelectronics</i> 14:247-256 (1999).	
	D41	Newton <i>et al.</i> , Angiogenin Single-Chain Immunofusions: Influence of Peptide Linkers and Spacers between Fusion Protein Domains, <i>Biochemistry</i> 35:545-553 (1996).	
	D42	Price <i>et al.</i> , Applications of a new optical technique for measuring the dielectrophoretic behaviour of micro-organisms, <i>Biochim. Biophys. Acta</i> 954:221-230 (1988).	
	D43	Schnelle <i>et al.</i> , Three-dimensional electric field traps for manipulation of cells - calculation and experimental verification, <i>Biochim. Biophys. Acta</i> 1157:127-140 (1993).	

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--



RECEIVED

MAR 10 2004

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)		
EXAMINER INITIALS		CITATION
	D44	Stephens <i>et al.</i> , The dielectrophoresis enrichment of CD34+ cells from peripheral blood stem cell harvests, <i>Bone Marrow Transplantation</i> 18:777-782 (1996).
	D45	Wang <i>et al.</i> , Selective dielectrophoretic confinement of bioparticles in potential energy wells, <i>J. Phys. D: Appl. Phys.</i> 26:1278-1285 (1993).
	D46	Wang <i>et al.</i> , Non-uniform spatial distributions of both the magnitude and phase of AC electric fields determine dielectrophoretic forces, <i>Biochim. Biophys. Acta.</i> 1243:185-194 (1995).
	D47	Wang <i>et al.</i> , Dielectrophoretic Manipulation of Particles, <i>IEEE Transactions on Industry Appl.</i> 33:660-669 (1997).
	D48	Wang <i>et al.</i> , Dielectrophoretic Manipulation of Cells with Spiral Electrodes, <i>Biophys. J.</i> , 72:1887-1899 (1997).
	D49	Wang <i>et al.</i> , Separation of Polystyrene Microbeads Using Dielectrophoretic/Gravitational Field-Flow-Fractionation, <i>Biophys. J.</i> 74:2689-2701 (1998).
	D50	Washizu <i>et al.</i> , Handling Biological Cells Using a Fluid Integrated Circuit, <i>IEEE Transactions on Industry Appl.</i> 26:352-358 (1990).
	D51	Washizu <i>et al.</i> , Molecular Dielectrophoresis of Biopolymers, <i>IEEE Transactions on Industry Appl.</i> 30:835-843 (1994).
	D52	Whitlow <i>et al.</i> , An improved linker for single-chain Fv with reduced aggregation and enhanced proteolytic stability, <i>Protein Engineering</i> 6:989-995 (1993).
	D53	Xie <i>et al.</i> , Microchip-Based Capillary Electrophoresis Systems, <i>Meth. in Mol. Biol.</i> 162: 67-83.
	D54	Yang <i>et al.</i> , Cell Separation on Microfabricated Electrodes Using Dielectrophoretic/Gravitational Field-Flow Fractionation, <i>Anal. Chem.</i> 71:911-918 (1999).
	D55	

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--